SINGLE SH DBC® Milk Tea SST

Height: 35.8" Width: 9.3" Depth: 24.7" (90.9cm) (23.6cm) (62.7cm)



- Brews 1.9, 3.8 or 5.7L batches
- Brews 43.2L of perfect tea per hour
- Consistently brew perfect coffee using Digital Brewer Control™ with pulse brew
- Reduce accidents with safety features that decrease hot splashes from funnel, eliminate brewing when funnel or server is not present
- Simplify installation and calibration by creating your own recipe cards and dedicated funnels with the BrewWISE Recipe Writer using your PC (Windows® compatible).
- · Servers not included unless otherwise noted



Agency:



Specifications

Water Access: Plumbed Faucet: Lower

Interface: Wireless
Finish: Stainless

Additional Features

BrewWISE

Electrical & Capacity

Volts*	Amps	Watts Cord		Plug Type	8oz cups/hr	Input H ² O	Phase	# Wires	Hertz
			Attached	0 71	236ml cups/hr	Temp.		plus Ground	
230	19.0	4400	No	-	214	60°F (15.5°C)	1	2	50-60

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements


	1 lambing requirements							
PSI kPa		kPa	Fitting Supplied	Water Flow Required (GPM)				
	20-90	138-621	1/4" Male Flare Fitting	-				


CAD Drawings

2D	Revit	KLC
•		

MARNING:







Unit				Shipping					
	Height	Width	Depth	Height	Width	Depth	Weight	Volume	
English	35.8 in.	9.3 in.	24.7 in.	39.8 in.	12.8 in.	27.1 in.	61.000 lbs	7.995 ft³	
Metric	90.9 cm	23.6 cm	62.7 cm	101.0 cm	32.5 cm	68.9 cm	27.670 kgs	0.226 m³	



Related Products & Accessories: SINGLE SH DBC® Milk Tea SST(33600.0006)























Serving & Holding Options: SINGLE SH DBC® Milk Tea SST(33600.0006)



